



Part Number	Chip Structure (Emitted Color)	λ_{peak} (nm)	Intensity(mcd) $I_f=10mA, 20mA^*$		Viewing Angle 2 θ 1/2	Lens
			Min.	Typ.		

1.8mm





XNH1ZMG46D	 GaP(Green)	565	5*	11*	40°	Green Diffused
------------	--	-----	----	-----	-----	----------------


3mm




XNK1LUG11D	 GaP(Green)	565	10	24	50°	Green Diffused
------------	--	-----	----	----	-----	----------------




3mm
(Bi-Color)



XNN1LUGR86M	 GaAsP/GaP(Red)	627	10*	23*	60°	White Diffused
	 GaP(Green)	565	12*	29*		

5mm



XVB1LUR50D	 GaAsP/GaP(Red)	627	12	39	30°	Red Diffused
XVB1LUY50D	 GaAsP/GaP(Yellow)	590	15	29	30°	Yellow Diffused
XVB1LUG50D	 GaP(Green)	565	15	29	30°	Green Diffused

1. Dimension Unit: mm(inches), Tolerance: $\pm 0.25mm$ (0.01").
 2. Luminous intensity value and wavelength are in accordance with CIE127-2007 standards.
 3. We reserve the right to make changes at any time to enhance the design and / or performance of the product.