PLASTIC BOXES

HAND-HELD PLASTIC BOXES GRABBERS

STYLE A

Style A is a rectangular enclosure that is available with/without $2.84'' \times 1.38''$ LCD cutout in the display area, and with a 9-volt/AA battery compartment. It is made out of ABS plastic in a light gray finish, with UL94-HB flammability rating.

OPTIONAL ACCESSORIES

- HH-3440-TS Tilt Stand
- HH-3441-G Gasket
- HH-3442-C-AA Battery Contact Kit
- HH-3595-BCB (Black Belt Clip) + HH-3595-BCG (Gray Belt Clip) +

Catalog	Feature		Exte	rnal			Internal		Wt.
Number	LCD Cutout	Α	В	С	D	E	F	G	Oz.
HH-3400-BC	No	7.09″	3.94″	1.57″	.98″	6.74″	3.59″	1.35″	6.6
HH-3401-BC	Yes	7.09″	3.94″	1.57″	.98″	6.74″	3.59″	1.35″	6.6
*Reference only - Request drawing for internal configuration and dimensions.									

STYLE B

Style B is a T-shaped enclosure that is available with/without $4.00^{\circ} \times 1.75^{\circ}$ LCD cutout in the display area, and with/ without a 9-volt/AA battery compartment. It is made out of ABS plastic in a gray finish, with UL94-HB flammability rating.




OPTIONAL ACCESSORIES

- HH-3440-TS Tilt Stand
- HH-3441-G Gasket
- HH-3442-C AA Battery Contact Kit
- HH-3595-BCB (Black Belt Clip)+
- HH-3595-BCG (Gray Belt Clip)†

Catalog	Special	Features		Exte	rnal				Wt.	
Number	LCD Cutout	Batt. Comp.	Α	В	С	D	E	F	G	0z.
HH-3420	No	No	9.33″	5.16″	1.71″	1.00″	8.99″	4.81″	1.46″	9.3
HH-3420-BC	No	Yes	9.33″	5.16″	1.71″	1.00″	8.99″	4.81″	1.46″	9.3
HH-3421	Yes	No	9.33″	5.16″	1.71″	1.00″	8.99″	4.81″	1.46″	9.3
HH-3421-BC	Yes	Yes	9.33″	5.16″	1.71″	1.00″	8.99″	4.81″	1.46″	9.3
*	Reference only	- Request drav	wing for	interna	configu	iration a	nd dime	ensions.		

These useful enclosures are ideal for portable hand held equipment. Made out of durable ABS material, they are offered in six styles.



STYLE D

Style D is a small, easy to handle box that is available with either a flush or recessed top, and with or without a cable slot. It is made out of ABS plastic in a black finish, with a UL94V-0 flammability rating.

OPTIONAL ACCESSORIES

- HH-3595-BCB (Black Belt Clip)†
- HH-3595-BCG (Gray Belt Clip)†



Catalog	Feature		Exte	rnal			Internal		Wt.
Number	Top Recess	Α	В	С	D	E	F	G	Oz.
HH-3463	Yes	5.50″	2.00″	.80″	.35″	5.31″	1.81″	.61″	2.1
HH-3464	No	5.50″	2.00″	.80″	.35″	5.31″	1.81″	.61″	2.1
HH-3465	No	2.50″	1.63″	.80″	.35″	2.31″	1.44″	.61″	.8
HH-3466	Yes	2.50″	1.63″	.80″	.35″	2.31″	1.44″	.61″	.8
HH-3468	No	2.75″	2.00″	.80″	.35″	2.56″	1.81″	.61″	1.1
HH-3469	Yes	2.75″	2.00″	.80″	.35″	2.56″	1.81″	.61″	1.1
HH-3470**	Yes	3.52″	1.77″	.73″	.37″	3.33″	1.58″	.54″	1.1
HH-3471	Yes	3.52″	1.77″	.73″	.37″	3.33″	1.58″	.54″	1.1

*Reference only - Request drawing for internal configuration and dimensions. **Includes slot for cable

STYLE E

Style E is a pocket-size enclosure and comes with a recessed top and a molded-in ring that is suitable for keyring applications. It is made out of ABS plastic in a black finish, with a UL94V-0 flammability rating.

OPTIONAL ACCESSORIES

- HH-3595-BCB (Black Belt Clip)†
- HH-3595-BCG (Gray Belt Clip)†



Catalog		Exte	rnal			Internal		Wt.
Number	Α	В	C	D	E	F	G	Wt. Oz.
HH-3490	2.10″	1.30″	.58″	.45″	1.92″	1.13″	.44″	4.7″
*Refere	nce only ·	Request	drawing	for interna	al configu	ration and	dimensi	ons.

STYLE C

Style C is a smaller, more ergonomically shaped rectangular enclosure that includes a 9-volt/AA battery compartment and a removable end panel. It is made out of ABS plastic in either a light gray (-G) or black (-B) finish, with UL94-HB flammability rating.

OPTIONAL ACCESSORIES

- HH-3442-C (Contact Kit for [2] AA batteries)
- HH-3595-BCB (Black Belt Clip)+
- HH-3595-BCG (Gray Belt Clip)†
- HH-3451-TL (Transparent red lens)



Catalog	F	eature		Exte	rnal			Wt.		
Number	Color	Batt. Comp.	Α	В	C	D	E	F	G	0z.
HH-3430-BCB	Black	Yes	- 5.31″	0.76″	040″	.50″	5.04″	0.57″	78″	23
HH-3430-BCG	Gray		0.01	2.70	.940	.00	5.04	2.07	.10	2.3
HH-3431-BCB	Black	Yes	4 10"	0.0E″	1.04″	E E''	3.88″	0.76″	.83″	21
HH-3431-BCG	Gray	Yes	4.13	2.95	1.04	.55	3.00	2.70	.03	2.1
		nly - Request dr	awing fo	r interna	al configu	iration a	and dime	nsions.		

† Two 0.234" dia. holes on 0.75" centers required to mount belt clip.



PLASTIC BOXES

HAND-HELD PLASTIC BOXES GRABBERS

+ Two 0.234" dia. holes on 0.75" centers required to mount belt clip.



STYLE F

Style F is a pocket-sized enclosure with a molded-in ring suitable for key ring applications, and integrated electrically conductive push buttons. Enclosure body is ABS plastic in a black finish with a UL94-HB



flammability rating. Buttons are gray silicone rubber. Other button configurations available upon request.

Catalog	Feature		Exte	rnal			Internal		Wt.
Number	Buttons	Α	В	С	D	E	F	G	0z.
HH-3492	2	2.23″	1.29″	.45″	.19″	2.11″	1.16″	.22″	.3
HH-3494	4	2.23″	1.29″	.45″	.19″	2.11″	1.16″	.22″	.3
*Re	eference only	- Reque	st drawing	g for inte	mal confi	guration a	and dimer	nsions.	

STYLE G

Style G is a T-shaped enclosure that is more aesthetically pleasing and ergonomically designed than many other T-shaped enclosures. Available with/without a 2.84" \times 2.03" LCD cutout in the display area, and with/without a 9-volt/AA battery compartment. It is made out of ABS plastic in either a light gray (-G) or black (-B) finish, with a UL94-HB flammability rating. Comes complete with wall mounting plate/tilt stand.



OPTIONAL ACCESSORIES

- HH-3441-G Gasket
- HH-3595-BCB (Black Belt Clip)† HH-3442-C Contact kit for AA-batteries
 - HH-3595-BCG (Gray Belt Clip)†

Catalog	Special	Features		Exte	rnal				Wt.	
Number	LCD Cutout	Batt. Comp.	А	В	С	D	E	F	G	0z.
HH-3496	No	No	8.27″	4.33″	1.59″	.98″	7.91″	3.97″	1.37″	7.7
HH-3497-BC	No	Yes	8.27″	4.33″	1.59″	.98″	7.91″	3.97″	1.37″	7.8
HH-3498	Yes	No	8.27″	4.33″	1.59″	.98″	7.91″	3.97″	1.37″	7.3
HH-3499-BC	Yes	Yes	8.27″	4.33″	1.59″	.98″	7.91″	3.97″	1.37″	7.4
*	Reference only	- Request drav	wing for	interna	l configu	iration a	and dim	ensions		

STYLE H

Ergonomically designed pocket-size enclosure with molded-in ring for key-ring applications, and integrated electrically conductive push buttons. Enclosure body is ABS plastic in a black finish with a UL94-HB flammability rating. Buttons are grav silicone rubber with conductive pads.

Catalog	Feature		Exte	rnal				Wt.		
Number	Buttons	Α	В	С	D	E	F	G	Н	Oz.
HH-3501	1	2.72″	1.84″	1.25″	.61″	2.60″	1.72″	1.13″	.40″	.3
HH-3502	2	2.72″	1.84″	1.25″	.61″	2.60″	1.72″	1.13″	.40″	.3
HH-3503	3	2.72″	1.84″	1.25″	.61″	2.60″	1.72″	1.13″	.40″	.3
HH-3504	4	2.72″	1.84″	1.25″	.61″	2.60″	1.72″	1.13″	.40″	.3
HH-3505	5	2.72″	1.84″	1.25″	.61″	2.60″	1.72″	1.13″	.40″	.3
	*Referen	ce only - F	Request dr	awing for	internal co	onfiguratio	n and dim	ensions.		

STYLE I

Uniquely shaped enclosure is more ergonomically designed than most other enclosures. Durable self-extinguishing ABS plastic material with UL94-5VA flammability rating. Mar resistant textured surface, internal PCB mounting bosses. Base is securely attached to the cover with four color-matched screws. Standard color: Black



Catalog		Exte	rnal			Internal		Wt.
Number	Α	В	С	D	E	F	G	0z.
HH-3550	4.50″	4.50″	1.50″	.95″	4.27″	4.27″	1.26″	4.8
*F	Reference or	nly - Reques	st drawing f	or internal o	configuration	n and dime	nsions.	

STYLE J

Compact, ergonomic design. Integral battery compartment is suitable for (4) AA batteries. Made from durable ABS plastic with UL94-HB flammability rating in either black or light gray colors. Internal PCB mounting bosses. Complete with top cover, bottom cover, battery door, and assembly




hardware. Recessed top is suitable for label or keypad.

OPTIONAL ACCESSORIES


- HH-3595-BCB (Black Belt Clip)+
- HH-3595-BCG (Gray Belt Clip)†

	Catalog	F	eature		Exte	rnal				Wt.	
	Number	Color	Batt. Comp.	Α	В	С	D	E	F	G	0z.
	HH-3570-B	Black	Yes	7 1 5"	0.50%	1.09″	E.E."	7.00″	0.00″	07"	2 65
	HH-3570-G	Gray	Yes	1.15	2.00	1.09	.55	7.00	2.30	.07	2.00
_	*Re	eference	only - Request o	Irawing	for inter	mal cont	figuratio	on and c	limensio	ns.	





PLASTIC BOXES HAND-HELD PLASTIC BOXES GRABBERS





STYLE K

Style K is an ergonomically designed rectangular enclosure with an integral AA battery compartment. It features a removable front panel for easy modification and internal PCB mounting bosses on both the base and cover. Enclosure is made out of ABS plastic in a black finish with UL94-5VA flammability rating.

OPTIONAL ACCESSORIES

- Belt Clip Black: HH-3595-BCB
- Rubber Boot
- 9V Battery




Catalog	g External Dimensions				Internal Dimensions			Wt.	Rubber Boot			
Catalog Number	Α	В	B C D E F G		G	0z.	Black	Blue	Red			
HH-3524	4.63″ 2.85″ 1.00″ .65″		4.38″	2.64″	.77″	3.14	HH-3529-BBK	HH-3529-BBL	HH-3529-BRD			
HH-3535	5.50″	3.25″	1.00″	.65″	5.26″	3.05″	.77″	3.93	HH-3539-BBK	HH-3539-BBL	HH-3539-BRD	

For full dimensional information, see our Web site at www.budind.com.



		Ex	ternal D	imensio	ns	Intern	al Dimei	nsions	Wt.
Catalog No.	Battery	Α	В	С	D	E	F	G	0z.
HH-3580-B	No	5.71″	3.54″	1.26″	.67″	5.49″	3.31″	1.08″	3.18
HH-3580-BCB	Yes	5.71″	3.54″	1.26″	.67″	5.49″	3.31″	1.08″	3.27

For full dimensional information, see our Web site at www.budind.com.




STYLE L

Style L is a smaller ergonomically designed enclosure with ribbed and rounded sides that provide a comfortable and secure grasp. Available with or without integral battery compartment designed to accept two or four AA, one 9V, or one 9V and two AA batteries. It features internal PCB mounting bosses and a recessed top surface suitable for keypad or label. Enclosure is made of ABS plastic in a black finish with UL94-HB flammability rating.

OPTIONAL ACCESSORIES

- Belt Clip Black: HH-3595-BCB
- AA Battery Contact Kit: HH-3442-C
- 9V Battery Clip: HH-3449
- 2 AAA Battery Holder: HH-3630
- 4 AAA Battery Holder: HH-3631
- 2 AA Battery Holder: HH-3632
- 4 AA Battery Holder: HH-3633
- 9V Battery Holder: HH-3634

PLASTIC BOXES HAND-HELD PLASTIC BOXES GRABBERS




STYLE M

Style M is a rectangular enclosure designed with an extra deep pocket at one end to accommodate circuit boards with tall components on both sides. It features internal PCB mounting bosses and a slanted top surface for easier viewing. The top surface is also recessed to allow for a label or keypad. It is made of ABS plastic in a black finish with UL94-HB flammability rating.

OPTIONAL ACCESSORIES

- Belt Clip Black: HH-3595-BCB
- AA Battery Contact Kit: HH-3442-C
- 9V Battery Clip: HH-3449
- 2 AAA Battery Holder: HH-3630
- 4 AAA Battery Holder: HH-3631
- 2 AA Battery Holder: HH-3632
- 4 AA Battery Holder: HH-3633
- 9V Battery Holder: HH-3634



		External Dimensions				Intern	Wt.		
Catalog No.	Battery	Α	В	C	D	E	F	G	Oz.
HH-3610-B	No	6.69″	5.16″	1.38″	.67″	6.47″	4.18″	1.18″	4.2 2
HH-3610-BCB	Yes	6.69″	5.16″	1.38″	.67″	6.47″	4.18″	1.18″	4.35



Catalog No.	External Dimensions L × W × H	Battery Compartment	Weight (Oz.)	
HH-3510-B	6.28" × 3.69" × .90"	NO	3.2	
HH-3510-G	6.28" × 3.69" × .90"	NO	3.2	-
HH-3510-BCB	6.28'' imes 3.69'' imes .90''	YES	3.6	-
HH-3510-BCG	6.28'' imes 3.69'' imes .90''	YES	3.6	-

STYLE N

Style N is an ergonomically designed blend of 'T' and rectangular shaped enclosures with ribbed and rounded sides that provide a comfortable and secure grasp. Available with or without integral battery compartment designed to accept 2 or 4 AA, 1 9V, or 1 9V and 2 AA batteries. It features internal PCB mounting bosses and a recessed top surface suitable for keypad or label. Enclosure is made of ABS plastic in a black finish with UL94-HB flammability rating.

OPTIONAL ACCESSORIES

- Belt Clip Black: HH-3595-BCB
- AA Battery Contact Kit: HH-3442-C
- 9V Battery Clip: HH-3449
- 2 AAA Battery Holder: HH-3630
- 4 AAA Battery Holder: HH-3631
- 2 AA Battery Holder: HH-3632
- 4 AA Battery Holder: HH-3633
 - 9V Battery Holder: HH-3634

STYLE 0

DESIGN FEATURES


- Blend of 'T' and rectangular shaped enclosures providing more room for internal components
- Ergonomically designed with soft ribbed rounded sides that provide secure and comfortable grasp
- Available with or without integral battery compartment designed to accept (2) or (4) AAA batteries (battery contact kits are included)
- Made from high impact resistant black or gray ABS plastic with UL94-HB flammability rating
- Internal PCB mounting bosses
- Complete with top cover, bottom cover, battery door, and assembly hardware
- · Recessed top suitable for label or keypad

ACCESSORIES

- HH-3596-BCB (Black Belt Clip)
- HH-3596-BCG (Gray Belt Clip)

PLASTIC BOXES

HAND-HELD PLASTIC BOXES GRABBERS






STYLE P

Style P is an ergonomic rectangular enclosure with a recess in the cover and internal PCB mounting bosses. ABS plastic has UL94V-0 flammability rating and black mar-resistant textured surface. Includes four color-matched screws.

			External Dimensions			Internal Dimensions			
	Catalog No.	Color	Α	В	C	D	E	F	G
Γ	HH-3641	Black	2.74″	1.97″	0.83″	.42″	2.56″	1.73″	0.63″
	HH-3642	Black	3.47″	2.48″	1.08″	.54″	3.30″	2.30″	0.87″
	HH-3643	Black	4.53″	3.27″	1.26″	.63″	4.29″	3.08″	0.95″





STYLE Q

Unique ergonomically designed pocket-size enclosure. Timesaving, snap-together two-piece design. ABS plastic has UL94V-0 flammability rating and black mar-resistant textured surface. Internal PCB mounting bosses.

		External Dimensions				Internal Dimensions			
Catalog No.	Color	Α	В	C	D	E	F	G	
HH-3640	Black	3.03″	1.93″	1.05″	.52″	2.89″	1.79″	0.86″	



BATTERY HOLDER AND CLIP



BATTERY CLIP

- Flexible vinyl
- 6" long lead wires on end

BATTERY HOLDER

- Polypropylene plastic
- 6" long lead wires on end

Catalog No.	Style	Cell Quantity and Type	Wt. (0z.)
HH-3449	Clip	1 – 9V	0.1
HH-3630	Holder	2 – AAA	0.3
HH-3631	Holder	4 - AAA	0.5
HH-3632	Holder	2 – AA	0.3
HH-3633	Holder	4 – AA	0.5
HH-3634	Holder	1 – 9V	0.3
	HH-3449 HH-3630 HH-3631 HH-3632 HH-3633	HH-3449 Clip HH-3630 Holder HH-3631 Holder HH-3632 Holder HH-3633 Holder	Catalog No. Style and Type HH-3449 Clip 1 – 9V HH-3630 Holder 2 – AAA HH-3631 Holder 4 – AAA HH-3632 Holder 2 – AA HH-3633 Holder 4 – AA