



## PRODUCT-DETAILS

**S800-SOR130****S800-SOR130 Shunt operation release****General Information**

Extended Product Type	S800-SOR130
Product ID	2CCS800900R0221
EAN	7612271208349
Catalog Description	S800-SOR130 Shunt operation release
Long Description	S800-SOR130 Shunt operation release 48 ...130 V AC / DC

**Technical**

Suitable For	S800P S800S S800N S800C S800B S800HV S800U S800PV-SP S800PV-SD S800PV-M-H
--------------	--

## Electrical

Rated Voltage (U <sub>r</sub> )	48 ... 130 V
Rated Operational Voltage	48 ... 130 V
Rated Control Supply Voltage (U <sub>s</sub> )	(50 Hz) 48...130 V (50 Hz) 48...130 V (60 Hz) 48...130 V (60 Hz) 48...130 V (DC) 48...130 V (DC) 48...130 V
Frequency (f)	50/60 Hz
Power Loss	Total 41.9 ... 307.3 W Total 42 ... 310 V·A
Number of Contacts CO	0
Number of Contacts NC	0
Number of Contacts NO	1

## Material Compliance

RoHS Declaration	9AKK107680A3903
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20190320
REACH Declaration	9AKK108470A9089
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20250313
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business

## Environmental

Environmental Information	2CCY413207D0203
---------------------------	-----------------

## Dimensions

Product Net Width	27 mm
Product Net Height	95 mm
Product Net Depth / Length	82.5 mm
Product Net Weight	150 g
Dimension Diagram	2CCC413003C0201

## Engineering

EPLAN Data	9AAC212941_EPLAN
------------	------------------

## Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross	170 g

## Weight

E-Number (Finland)	3212438
E-Number (Norway)	1628852

---

**Certificates and Declarations**

Declaration of Conformity - CE	2CCC413003D0201
--------------------------------	-----------------

---

**Installation**

Instructions and Manuals	9AKK106930A3418
--------------------------	-----------------

---

**Popular Downloads**

Data Sheet, Technical Information	2CCC413003C0208
-----------------------------------	-----------------

---

**External Classifications and Standards**

ETIM 9	EC001023 - Shunt release (for power circuit breaker)
ETIM 10	EC001023 - Shunt release (for power circuit breaker)
UNSPSC	39121601
eClass	V11.0 : 27370418
IDEA Granular Category Code (IGCC)	4879 >> Shunt release (for power circuit breaker)
Object Classification Code	F
Standards	IEC 60947-5-1_UL489

---

**Categories**

Low Voltage Products and Systems → Modular DIN Rail Products → High Performance Circuit Breakers HPCBs → High Performance Circuit Breakers HPCBs Accessories

