



PRODUCT-DETAILS

S800-UVR130**S800-UVR130 Undervoltage release****General Information**

| | |
|-----------------------|--|
| Extended Product Type | S800-UVR130 |
| Product ID | 2CCS800900R0261 |
| EAN | 7612271208387 |
| Catalog Description | S800-UVR130 Undervoltage release |
| Long Description | S800-UVR130 Under voltage release 110 ...130 V AC / DC |

Technical

| | |
|--------------|--|
| Suitable For | S800P S800S S800N S800C S800B S800HV S800U S800PV-SP S800PV-SD S800PV-M-H |
|--------------|--|

Electrical

| | |
|--|--|
| Rated Voltage (U _r) | 110 ... 130 V |
| Rated Operational Voltage | 110 ... 130 V |
| Rated Control Supply Voltage (U _s) | (50 Hz) 130...130 V (50 Hz) 130...130 V (60 Hz) 130...130 V (60 Hz) 130...130 V (DC) 130...130 V (DC) 130...130 V |
| Frequency (f) | 50/60 Hz |
| Power Loss | Total 1.3 ... 1.41 W Total 1.4 V·A |
| Number of Contacts CO | 0 |
| Number of Contacts NC | 0 |
| Number of Contacts NO | 0 |

Material Compliance

| | |
|---|--|
| RoHS Declaration | 9AKK107680A3903 |
| RoHS Information | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date | 20190320 |
| REACH Declaration | 9AKK108470A9089 |
| REACH Information | False - does not contain substances > 0.1 mass percentage |
| REACH Date | 20250313 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Business |

Environmental

| | |
|---------------------------|-----------------|
| Environmental Information | 2CCY413207D0203 |
|---------------------------|-----------------|

Dimensions

| | |
|----------------------------|-----------------|
| Product Net Width | 27 mm |
| Product Net Height | 95 mm |
| Product Net Depth / Length | 82.5 mm |
| Product Net Weight | 150 g |
| Dimension Diagram | 2CCC413003C0201 |

Engineering

| | |
|------------|------------------|
| EPLAN Data | 9AAC212941_EPLAN |
|------------|------------------|

Ordering

| | |
|-----------------------|-------------|
| Package Level 1 Units | box 1 piece |
| Package Level 1 Gross | 170 g |

Weight

| | |
|--------------------|---------|
| E-Number (Finland) | 3212446 |
| E-Number (Norway) | 1628857 |

Certificates and Declarations

| | |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 2CCC413003D0201 |
|--------------------------------|-----------------|

Installation

| | |
|--------------------------|-----------------|
| Instructions and Manuals | 9AKK106930A3418 |
|--------------------------|-----------------|

Popular Downloads

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 2CCC413003C0208 |
|-----------------------------------|-----------------|

External Classifications and Standards

| | |
|------------------------------------|-------------------------------|
| ETIM 9 | EC001022 - Under voltage coil |
| ETIM 10 | EC001022 - Under voltage coil |
| UNSPSC | 39121010 |
| eClass | V11.0 : 27370417 |
| IDEA Granular Category Code (IGCC) | 4148 >> Under voltage coil |
| Object Classification Code | F |
| Standards | IEC 60947-5-1_UL489 |

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → High Performance Circuit Breakers HPCBs → High Performance Circuit Breakers HPCBs Accessories

