




---

 PRODUCT-DETAILS

# S802-LINK125

## S802-LINK125 Pole connector




---

**General Information**

Extended Product Type	S802-LINK125
Product ID	2CCS800900R0562
EAN	7612271419103
Catalog Description	S802-LINK125 Pole connector
Long Description	The pole connector S802-LINK125 can be used up to 125 A. It was developed for photovoltaics and can be used up to 1200V DC.

---

**Technical**

Suitable For	S800PV
Rated Operational Current (I <sub>e</sub> )	125 A
Model Number	Flat
Tightening Torque	3.5 N·m
Recommended Screw Driver	Pozidriv 2
Terminal Type	Screw Terminals

---

## Electrical

---

Rated Insulation Voltage (U <sub>i</sub> )	1200 V DC
Rated Current (I <sub>n</sub> )	125 A
Rated Frequency (f)	50...60 Hz

---



---

## Material Compliance

---

RoHS Declaration	9AKK108466A0881
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20211021
REACH Declaration	9AKK108470A9089
REACH Information	True - contains substances > 0.1 mass percentage
REACH Date	20250313
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business

---



---

## Environmental

---

Ambient Air Temperature	Operation -25 ... +60 °C Storage -40 ... +70 °C
Degree of Protection	acc. to IEC 60529 IP20
Environmental Information	2CCY413207D0203

---



---

## Dimensions

---

Product Net Width	23.5 mm
Product Net Height	49.5 mm
Product Net Depth / Length	69.7 mm
Product Net Weight	149 g

---



---

## Ordering

---

Package Level 1 Units	bag 2 piece
Package Level 1 Gross Weight	320 g

---



---

## Certificates and Declarations

---

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

---



---

## Installation

---

Instructions and Manuals	9AKK106930A3418
--------------------------	-----------------

---

---

## Popular Downloads

---

Data Sheet, Technical Information	2CCC413003C0208
-----------------------------------	-----------------

---



---

## External Classifications and Standards

---

ETIM 9	EC001522 - Busbar
ETIM 10	EC001522 - Busbar
UNSPSC	39121117
eClass	V11.0 : 27370303
IDEA Granular Category Code (IGCC)	4375 >> Buss bar
Object Classification Code	F
Standards	IEC 60439-2

---



---

## Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → High Performance Circuit Breakers HPCBs → High Performance Circuit Breakers HPCBs Accessories



360