




---

 PRODUCT-DETAILS

# AF140N4R-30-22-11

## AF140N4R-30-22-11 Contactor Starter

---

### General Information

Extended Product Type	AF140N4R-30-22-11
Product ID	1SBX307341R1122
EAN	7320500559444
Catalog Description	AF140N4R-30-22-11 Contactor Starter
Long Description	AF140N4R-30-22-11

---

### Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85364900

---

### Popular Downloads

Data Sheet, Technical Information	1SBC100214C0202
CAD Dimensional Drawing	2CDC001079B0201

---

### Dimensions

Product Net Width	180 mm
Product Net Depth / Length	126 mm
Product Net Height	177.6 mm
Product Net Weight	4.25 kg

---

### Technical

Number of Main Contacts NO	3
Number of Main Contacts NC	0

Number of Auxiliary Contacts NO	2
Number of Auxiliary Contacts NC	2
Power Loss	at Rated Operating Conditions AC-3 per Pole 9 W
Product Name	Contactor Starter

**Material Compliance**

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2021-006202
RoHS Declaration	2CMT2021-006277
RoHS Information	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006525
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

**ABB EcoSolutions**

ABB EcoSolutions	Yes
ABB Site Meeting Group Waste To Landfill Target	Non-hazardous waste is sent to a landfill, where there is no alternative option available within 100km of a facility UL 2799 Zero Waste To Landfill Validation available
End Of Life Disassembling Instructions	1SFC100112M0001
Environmental Product Declaration - EPD	1SFC100092D0201
Improved Energy Efficiency for Customers	Product Efficiency - Product requires less energy to operate compared to similar product on market or older products from the same line Product Efficiency - Product considered more energy-efficient compared to similar product on market or older products from the same line
Recyclability Rate of the Product acc. to EN45555	Design for Closing Resource Loops - Standard EN45555 - 87.8 %

**Certificates and Declarations**

cUL Certificate	20121217-E36588
Declaration of Conformity - CE	2CMT2015-005439

**Container Information**

Package Level 1 Gross Weight	5.75 kg
------------------------------	---------

**External Classifications and Standards**

Object Classification Code	Q
ETIM 7	EC000066 - Power contactor, AC switching
ETIM 8	EC000066 - Power contactor, AC switching

ETIM 9	EC000066 - Power contactor, AC switching
eClass	V11.0 : 27371003
UNSPSC	39121529
IDEA Granular Category Code (IGCC)	4762 >> Nema Contactors

---

---

## Categories

---

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors → AF Contactors → AF140