



PRODUCT-DETAILS

AF140N4R-30-22-14

AF140N4R-30-22-14 Contactor Starter

General Information

| | |
|-----------------------|-------------------------------------|
| Extended Product Type | AF140N4R-30-22-14 |
| Product ID | 1SBX307341R1422 |
| EAN | 7320500559475 |
| Catalog Description | AF140N4R-30-22-14 Contactor Starter |
| Long Description | AF140N4R-30-22-14 |

Ordering

| | |
|------------------------|----------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85364900 |

Popular Downloads

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 1SBC100214C0202 |
| CAD Dimensional Drawing | 2CDC001079B0201 |

Dimensions

| | |
|----------------------------|----------|
| Product Net Width | 180 mm |
| Product Net Depth / Length | 126 mm |
| Product Net Height | 177.6 mm |
| Product Net Weight | 4.25 kg |

Technical

| | |
|----------------------------|---|
| Number of Main Contacts NO | 3 |
| Number of Main Contacts NC | 0 |

| | |
|---------------------------------|---|
| Number of Auxiliary Contacts NO | 2 |
| Number of Auxiliary Contacts NC | 2 |
| Power Loss | at Rated Operating Conditions AC-3 per Pole 9 W |
| Product Name | Contactor Starter |

Material Compliance

| | |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2021-006202 |
| RoHS Declaration | 2CMT2021-006277 |
| RoHS Information | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA | 2CMT2023-006525 |
| WEEE B2C / B2B | Business To Business |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

ABB EcoSolutions

| | |
|---|---|
| ABB EcoSolutions | Yes |
| ABB Site Meeting Group Waste To Landfill Target | Non-hazardous waste is sent to a landfill, where there is no alternative option available within 100km of a facility UL 2799 Zero Waste To Landfill Validation available |
| End Of Life Disassembling Instructions | 1SFC100112M0001 |
| Environmental Product Declaration - EPD | 1SFC100092D0201 |
| Improved Energy Efficiency for Customers | Product Efficiency - Product requires less energy to operate compared to similar product on market or older products from the same line Product Efficiency - Product considered more energy-efficient compared to similar product on market or older products from the same line |
| Recyclability Rate of the Product acc. to EN45555 | Design for Closing Resource Loops - Standard EN45555 - 87.8 % |

Certificates and Declarations

| | |
|--------------------------------|-----------------|
| cUL Certificate | 20121217-E36588 |
| Declaration of Conformity - CE | 2CMT2015-005439 |

Container Information

| | |
|------------------------------|---------|
| Package Level 1 Gross Weight | 5.75 kg |
|------------------------------|---------|

External Classifications and Standards

| | |
|----------------------------|--|
| Object Classification Code | Q |
| ETIM 7 | EC000066 - Power contactor, AC switching |
| ETIM 8 | EC000066 - Power contactor, AC switching |

| | |
|------------------------------------|--|
| ETIM 9 | EC000066 - Power contactor, AC switching |
| eClass | V11.0 : 27371003 |
| UNSPSC | 39121529 |
| IDEA Granular Category Code (IGCC) | 4762 >> Nema Contactors |

Categories

Low Voltage Products and Systems → Control Products → Contactors → Block Contactors → AF Contactors → AF140