

Product data sheet

Specifications



bus jumper, Harmony Solid State Relays, Harmony Electromechanical Relays, connection accessory, 20 poles, RSLZ, SSLZ push-in sockets

RSLZ2

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Harmony Solid State Relays Harmony Electromechanical Relays
Product or Component Type	Bus jumper
Sale per indivisible quantity	10

Complementary

Accessory / separate part category	Connection accessory
Product compatibility	RSLZ - socket SSLZ - socket
IP Degree of Protection	IP00
Accessory / separate part destination	Slim interface relay socket
Net Weight	0.007 lb(US) (0.003 kg)

Ordering and shipping details

Category	US10CP221127
Discount Schedule	0CP2
GTIN	3606480078132
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.1 in (0.3 cm)
Package 1 Width	0.7 in (1.7 cm)
Package 1 Length	4.8 in (12.2 cm)
Package weight(Lbs)	0.3 oz (8 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	0.8 in (2 cm)
Package 2 Width	2.4 in (6 cm)
Package 2 Length	5.1 in (13 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 2 Weight	2.8 oz (80 g)
Unit Type of Package 3	S03
Number of Units in Package 3	1000
Package 3 Height	11.8 in (30 cm)
Package 3 Width	11.8 in (30 cm)
Package 3 Length	15.7 in (40 cm)
Package 3 Weight	18.733 lb(US) (8.497 kg)

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.1 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.1 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again




Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No

Connections and Schema


Wiring Diagram

Side View - Coil Side



- (1) A1
- (2) A2
- (3) Bus jumper polarity A1
- (4) Bus jumper polarity A2

Side View - Contact Side



- (1) Do not exceed 2A max per relay when using RSLZ2 on the contact side

Image of product / Alternate images

Alternative





