


Product data sheet

Specifications



protection accessories, Harmony
Electromechanical Relays, RC
circuit for RPZ RXZ sockets,
24...60V AC

RXM041BN7

**Product availability: Non-Stock - Not normally stocked in
distribution facility**

Main

Range of Product	Harmony Electromechanical Relays
Accessory / separate part category	Protection accessories
Product or Component Type	Protection module
Accessory / separate part designation	RC circuit
Product compatibility	Socket RPZ 1 C/O) Socket RPZ 2 C/O) Socket RXZ 2 C/O) Socket RXZ 3 C/O) Socket RXZ 4 C/O)
Product Destination	RXM relay RPM relay
[Uc] control circuit voltage	24...60 V AC
Sale per indivisible quantity	20

Complementary

Net Weight	0.02 lb(US) (0.01 kg)
------------	-----------------------

Ordering and shipping details

Category	US10CP221128
Discount Schedule	0CP2
GTIN	3389119404419
Returnability	No
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.512 in (1.300 cm)
Package 1 Width	0.551 in (1.400 cm)
Package 1 Length	1.260 in (3.200 cm)
Package weight(Lbs)	0.071 oz (2.000 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 2 Height	0.591 in (1.500 cm)
Package 2 Width	2.362 in (6.000 cm)
Package 2 Length	3.150 in (8.000 cm)
Package 2 Weight	0.776 oz (22.000 g)
Unit Type of Package 3	S01
Number of Units in Package 3	500
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	5.906 in (15.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	2.870 lb(US) (1.302 kg)

Contractual warranty

Warranty (in months)	18
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again




Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No

Connections and Schema

Wiring Diagram



Offer Marketing Illustration

Product benefits / Features

Technical Benefits

Harmony RXMAB Relay

RXM*AB sockets:

- Mixed or separate contact arrangement
- Push-in, screw clamp or screw connector terminal

Plastic or metal maintaining clamp to protect against vibration

RXM*AB relays:

- 2CO-12A, 3CO-10A, 4CO-6A
- 12-220VDC, 24-240VAC

Push button (Blue for DC, Red for AC) and lockable test button for contact testing

Mechanical indicator for relay contact status

"Power On" LED for relay status



Offer Marketing Illustration

Product benefits / Features

Features

Harmony RXMAB Relay



Pluggable relay module for easy replacement and retrofitting of relays



Conforms to international standards: IEC, CE, UL, CSA, EAC, Lloyd's, RoHS and REACH





Save time and cost with pre-assembled relays and push-in sockets



Add-on protection modules and timer relay for flexibility

Image of product / Alternate images

Alternative





