
Product data sheet

Specifications



Modicon Momentum - Interbus communication adaptor - twisted pair

170INT11000

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Modicon Momentum automation platform
Product or Component Type	Interbus communication adaptor
Method of access	Continuous shift register Master/slave

Complementary

Communication Port Protocol	Interbus generation SUPI 2
Fail state	Fail safe
Transmission support medium	Twisted pair
Transmission Rate	500 kbit/s
Topology	Ring
Cable length	41994.8 ft (12800 m) 1312.3 ft (400 m)
Control parameter	CRC-16
Height	2.2 in (56 mm)
Width	7.008 in (178 mm)
Depth	10.2 in (259 mm)
Net Weight	0.15 lb(US) (0.07 kg)

Environment

IP Degree of Protection	IP20
Protective treatment	TC
Marking	CE

Ordering and shipping details

Category	US1PC3118206
Discount Schedule	PC31
GTIN	3595861000360
Returnability	Yes
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Nbr. of units in pkg.	1
Package 1 Height	2.205 in (5.600 cm)
Package 1 Width	7.008 in (17.800 cm)
Package 1 Length	10.236 in (26.000 cm)
Package weight(Lbs)	6.631 oz (188.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	8
Package 2 Height	11.811 in (30.000 cm)
Package 2 Width	11.811 in (30.000 cm)
Package 2 Length	15.748 in (40.000 cm)
Package 2 Weight	4.806 lb(US) (2.180 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**Yes**
SCIP Number	**E618c0ab-f100-4cee-8aef-090f73ce1a54**
EU RoHS Directive	**Compliant By Exemption**
REACh Regulation	**Reference contains Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Again

Repack and remanufacture

Take-back	**No**