Product data sheet

Specifications



level control probe, Harmony Control Relays, relay accessories, maximum operating temperature 100Â°C

LA9RM201

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Harmony Control Relays
Product or Component Type	Level control probe
Accessory / separate part designation	Probe for liquid level control
Accessory / separate part destination	Liquid level control relay
Accessory / separate part category	Relay accessories
Product Compatibility	RM84 RM4L RM35LM

Complementary

Diameter	0.6 in (16 mm)
Length	5.9 in (150 mm)
Type of Installation	Cable suspension
Net Weight	0.2 lb(US) (0.1 kg)

Environment

Maximum ambient air temperature for operation	212 °F (100 °C)

Ordering and shipping details

Category	US10CP222380
Discount Schedule	0CP2
GTIN	3389110190755
Returnability	Yes
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.024 in (2.600 cm)
Package 1 Width	6.181 in (15.700 cm)
Package 1 Length	1.024 in (2.600 cm)
Package weight(Lbs)	3.069 oz (87.000 g)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 2	S01
Number of Units in Package 2	40
Package 2 Height	5.9 in (15 cm)
Package 2 Width	5.9 in (15 cm)
Package 2 Length	15.7 in (40 cm)
Package 2 Weight	8.113 lb(US) (3.680 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**2 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**2 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0 kg CO2 eq.**
Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**Yes**
EU RoHS Directive	**Compliant**
REACh Regulation	**Free of Substances of Very High Concern above the threshold**
California proposition 65	**WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Again

Repack and remanufacture

Circularity Profile	**End of Life Information**
Take-back	**No**

Image of product in real life situation

