Product data sheet

Specifications



protection accessories, Harmony Electromechanical Relays, diode, green LED, for all sockets, 6...24V DC

RZM031RB

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	Harmony Electromechanical Relays
Accessory / separate part category	Protection accessories
Product or Component Type	Protection module
Accessory / separate part designation	Diode + green LED
Product compatibility	Socket RSZ 1 C/O) Socket RSZ 2 C/O) Socket RGZ 1 C/O) Socket RGZ 2 C/O)
Product Destination	RSB relay
[Uc] control circuit voltage	6...24 V DC
Sale per indivisible quantity	10

Complementary

Net Weight	0.009 lb(US) (0.004 kg)

Ordering and shipping details

Category	US10CP221128
Discount Schedule	0CP2
GTIN	3389110261172
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.181 in (3.000 cm)
Package 1 Width	2.756 in (7.000 cm)
Package 1 Length	0.866 in (2.200 cm)
Package weight(Lbs)	0.067 oz (1.900 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	1.181 in (3.000 cm)

Price is “List Price” and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	2.756 in (7.000 cm)
Package 2 Length	4.331 in (11.000 cm)
Package 2 Weight	0.705 oz (20.000 g)
Unit Type of Package 3	S02
Number of Units in Package 3	1500
Package 3 Height	5.906 in (15.000 cm)
Package 3 Width	11.811 in (30.000 cm)
Package 3 Length	15.748 in (40.000 cm)
Package 3 Weight	7.165 lb(US) (3.250 kg)

Contractual warranty

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**0.1 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**0.1 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0 kg CO2 eq.**
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
EU RoHS Directive	Compliant
REACh Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	**WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov**

Use Longer

Lifetime extension

Repair	**No**

Use Again

Repack and remanufacture

Recyclability potential, in %	**6**
Circularity Profile	**No need of specific recycling operations**
Take-back	**No**

Connections and Schema

Wiring Diagram




Image of product / Alternate images

Alternative













Image of product in real life situation

