SQUARE D



Relay, Harmony 8501X, master, coil, screw clamp terminals, 10A resistive at 600V AC, 110/120V AC 50/60Hz, 4NO

8501XMO40V02

Product availability: Stock - Normally stocked in distribution facility

Main

Range	8501X	
Relay Type	Master	
Product	Relay	
Current Rating	20 A AC	
Contact Configuration	4 NO 4 master contact cartridges	
Number of Poles	4P	
Coil Voltage	110 V AC 50 Hz 120 V AC 60 Hz	
Voltage Rating	600 V AC	
Mounting Type	Panel	
Operating Temperature	-4071 °C (-40160 °F)	
Electrical Connection	Screw clamp terminals	
Certifications	CE UL Listed CSA	
Operating Time	15 ms - pick-up 16 ms - drop-out	
Height	3.5 in (88.9 mm)	
Width	2.23 in (56.64 mm)	
Depth	3.95 in (100.33 mm)	

Ordering and shipping details

Category	US10CP221158	
Discount Schedule	0CP2	
GTIN	785901743446	
Returnability	Yes	
Country of origin	MX	

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	8 89 in (22 581 cm)

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Package 1 Width	3.50 in (8.89 cm)	
Package 1 Length	22.58 in (57.355 cm)	
Package weight(Lbs)	33.615 oz (952.998 g)	
Unit Type of Package 2	PAL	
Number of Units in Package 2	360	
Package 2 Height	40.00 in (101.6 cm)	
Package 2 Width	40.00 in (101.6 cm)	
Package 2 Length	48.00 in (121.92 cm)	
Package 2 Weight	782.0001 lb(US) (354.709 kg)	

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	272
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No

Image of product / Alternate images

Alternative







