Data sheet
Type 360158


P/N 360158

2025/08/21
Version: AA


Illustrations



Dimensional drawing as an example



Drill pattern as an example



See enlarged drawings at the end of document

Product specification

- screw type terminal block, THR solderable, double solder pins
- direction of connection vertical 0°
- color metallike
- screw completely hand-screwed

© 2025 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!

METZ CONNECT GmbH | Im Tal 2 | 78176 Blumberg | Germany
Phone +49 7702 533-0 | Fax +49 7702 533-433
Weitere Dokumentation siehe / additional documentation see / documentation supplémentaire voir www.metz-connect.com

Data sheet
Type 360158

P/N
360158

2025/08/21
Version: AA

Technical Data

General Data	
Tightening torque SEV	0.5 Nm
Tightening torque UL	4.4 lb-in
Solder pin length	4.2 mm
min. number of poles	1
max. number of poles	1
Protection category	IP00
Rated current	20 A
Terminal data	
rat.wiring solid AWGmax	0.52 mm² - 4 mm² / AWG 20 - AWG 10
rat.wiring strand.AWGmax	0.52 mm² - 4 mm² / AWG 20 - AWG 10
Material	
terminal body thread	M3,5
terminal body material	CuZnPb
terminal body surface	Ni + Sn
screw thread	M3,5
screw material	8,8
screw surface	Zn Cr(VI)-frei/free
general	
Tolerance	ISO 2768 -mH
Solderability	Acc. to IPC/JEDEC J-STD-020E-MSL 1

Application note

This product is a standard product of METZ CONNECT. METZ CONNECT is not aware of the specific intended use of the goods by the Customer or any customers of the Customer. The Customer guarantees that it has fully and sufficiently tested the use of the goods and any product modifications, product changes or product enhancements with regard to the specific intended use in accordance with the state of the art or in any other way. At METZ CONNECT's request, the Customer shall submit and make available meaningful evidence (e.g. test and laboratory protocols, certifications, etc.).

© 2025 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!


Data sheet
Type 360158

P/N
360158

2025/08/21
Version: AA

Illustrations

Dimensional drawing as an example



L=(pole size - 1) x centerline + 8.5 mm [0.335]

© 2025 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!


Data sheet
Type 360158

P/N
360158

2025/08/21
Version: AA

Illustrations

Drill pattern as an example



© 2025 METZ CONNECT - Technische Änderungen vorbehalten! Subject to modifications! Sous réserve de modifications techniques!