
Datasheet

3329.7
MC GS 7/20 R WH
MC GS 7/20 R WH



Device and installation markers / Maxicard, Length: 20 mm, Width: 7 mm, Colour: White

Business data

Product description	Device and installation marker / Maxicard
For manufacturer type	Siemens/ifm-electronic
Packaging unit	200
Quantity unit	PC
Number of markers per card	40
Number of markers per row	5
Weight per piece (not including packaging)	0.38
Weight per piece (including packaging)	0.52
Unit of weight	G
Customs number	39269097
Country of origin	DE

© **CONTA-CLIP Verbindungstechnik GmbH** | Otto-Hahn-Str. 7 | D-33161 Hövelhof
Fon +49 (0) 52 57.98 33-0 | Fax +49 (0) 52 57.98 33-33 | E-Mail info@conta-clip.de | conta-clip.de

Creation date 24.02.2021 01:36:39
Subject to technical modifications

Datasheet

3329.7
MC GS 7/20 R WH
MC GS 7/20 R WH

Technical Data

Dimensions	
Length	20 mm
Width	7 mm

Materials	
Marker material	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Halogen-free	✓

Print	
Number of characters, horizontal	14
Rows when using font size 1.4 and plotter pen 0.25, horizontally aligned text	4
Number of characters, vertical	5
Rows when using font size 1.4 and plotter pen 0.25, vertically aligned text	5

Datasheet

3329.7
MC GS 7/20 R WH
MC GS 7/20 R WH

Accessories

Marker pen



Labelling pen

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
2034.0	BS-1	4044211048365	10 PC

Inlays



Plotter inlay

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
1606.0	CCI-10	4044211103224	1 PC