# Datasheet

## 3901.7
## GKE 18/6 WH
## GKE 18/6 WH



Adhesive device label, Length: 18 mm, Width: 6 mm, Colour: White

### Business data

| | |
|---|---|
| Product description | Adhesive device label |
| Packaging unit | 1 |
| Quantity unit | PC |
| Labels per roll | 10000 ST |
| Weight per piece (not including packaging) | 272 |
| Weight per piece (including packaging) | 442.8 |
| Unit of weight | G |
| Customs number | 39191080 |
| Country of origin | EEC |

# Datasheet

## 3901.7
## GKE 18/6 WH
## GKE 18/6 WH

### Technical Data

| Dimensions | |
|---|---|
| Length | 18 mm |
| Width | 6 mm |
| Diameter of roll core | 75 mm |

| Materials | |
|---|---|
| Material | Polyester |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 105 °C |
| Adhesive bonding temperature, min. | 15 °C |
| Storage stability at 21 °C and 50% relative humidity, min. | 2 Jahre |

| Print | |
|---|---|
| Resistance | Water, alcohol, benzene, oils |

# Datasheet

## 3901.7
## GKE 18/6 WH
## GKE 18/6 WH

### Accessories

#### Marker pen



Labelling pen

#### In general

| Order number | Article designation | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 2034.0 | BS-1 | 4044211048365 | 10 PC |

#### Printer for GKE-roll



Thermal transfer printer

#### In general

| Order number | Article designation | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 17740.0 | TTPeco-Print. inc.Power-,USB-cab.,Drv. | 4044211151317 | 1 PC |

# Datasheet

## 3901.7
## GKE 18/6 WH
## GKE 18/6 WH

### Accessories

### Inlays



Adhesive device label, Length: 18 mm, Width: 6 mm, Colour: White

### In general

| Order number | Article designation | GTIN (EAN) | Packaging unit |
|---|---|---|---|
| 3901.7 | GKE 18/6 SI | 4044211078966 | 1 PC |