Datasheet

9379.0
KH E 10,0/30
KH E 10,0/30



Cable marker sleeve, Length: 30 mm, Max. wire cross-section: 10 mm², Colour: Transparent

Business data

Product description	Cable marker sleeve
Packaging unit	500
Quantity unit	PC
Weight per piece (not including packaging)	0.87
Weight per piece (including packaging)	0.97
Unit of weight	G
Customs number	39162000
Country of origin	IT

© **CONTA-CLIP Verbindungstechnik GmbH** | Otto-Hahn-Str. 7 | D-33161 Hövelhof
Fon +49 (0) 52 57.98 33-0 | Fax +49 (0) 52 57.98 33-33 | E-Mail info@conta-clip.de | conta-clip.de

Creation date 24.02.2021 01:44:16
Subject to technical modifications

Datasheet

9379.0
KH E 10,0/30
KH E 10,0/30

Technical Data

Dimensions	
Length	30 mm

Connection data	
Wire cross-section, min.	4 mm²
Wire cross-section, max.	10 mm²
Outer diameter of insulation, min.	4.3 mm
Max. outer diameter of insulation	6.3 mm


Materials	
Material	PVC
Flammability class UL 94	V-0
Working temperature, min.	-40 °C
Working temperature, max.	90 °C
Halogen-free	✓

Datasheet

9379.0
KH E 10,0/30
KH E 10,0/30

Accessories


Marker



Wire and cable markers / Maxicard, Length: 30 mm, Width: 4 mm, Colour: White

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
3354.7	MC ESS 30/60 GN	4044211140427	300 PC



Wire and cable markers / Maxicard, Length: 30 mm, Width: 4 mm, Colour: White

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
3359.7	MC ESS 30/60 So GN	4044211140571	300 PC