This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\1100B604\1100B604.idw


Tolérance ±1/32" sauf spécification contraire

No.	Revisions	Date	By/Par


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




TOP




BACK




LEFT




FRONT



RIGHT



Isometric View



BOTTOM

SEE BILL OF MATERIAL ON LAST PAGE

Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm

Projection

Customer Client		Date	
Drawn By Dessiné Par	BoxCad: BoxCad	Date	09-Oct-24
Material Matière	16 Ga Cold Rolled A1008 CS Type B (1.4mm)		
Color Couleur	Asa-61 Grey	Finish Fini	Smooth
Description 1100B 26" x 25" x 6.975" Assembly		Detail Rev.	
Part Number Numéro Pièce **1100B604**		Rev. **0**	1 / 10


This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified

C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\1100B604\1100B604.idw


Tolérance ±1/32" sauf spécification contraire

NOTE	
ITEM	**DESCRIPTION**
1	NEMA 1 Enclosure (IP20)
2	C/W Standard ground studs on box and cover
3	W/O Inner panel
4	W/O Inner panel mounting studs



FRONT

No.	Revisions	Date	By/Par



Isometric View

EXM exm
Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness / Aplatissement: Max 3.0mm

Projection

Customer / Client

Date

Drawn By / Dessiné Par: BoxCad: BoxCad

Date: 09-Oct-24

Material / Matière: 16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color / Couleur: Asa-61 Grey

Finish / Fini: Smooth

Description: 1100B 26" x 25" x 6.975" Assembly

Detail Rev.

Part Number / Numéro Pièce: **1100B604**

Rev.: **0**

PACKING		
ITEM	**QTY**	**DESCRIPTION**
Cardboard sleeve	2	Top and Bottom
Cardboard strip	2	Between back of enclosure and inner panel
Plastic bag	1	To protect cover surface and inside gasket
Cardboard corner	4	To reinforced for the plastic strap tightening
Plastic strap - Black	2	To Squeeze the 2 cardboard sleeve together
Packaging label	3	White label with PN
Plastic strap- Green	2	To secure the enclosure to the wood pallet
Wood Pallet	1	2" deeper and 3" larger than enclosure size

Qty	Part Number	Rev	Description
1	STK-Q-77450	3	Plastic Padlock Provision
1	1100B604C	0	1100B 18" x 25" Cover
1	STK-K-02700	0	1412 T Accessory Kit
1	1100B604B	0	1100B 26" x 25" x 6.975" Body
4	881 BRB400	0	Aluminum Lug with Insulator

Parts List

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified


C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\1100B604\1100B604.idw


Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


No.	Revisions	Date	By/Par















Isometric View



SEE BILL OF MATERIAL ON LAST PAGE

Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness / Aplatissement: Max 3.0mm

Projection


Customer / Client		Date	
Drawn By / Dessiné Par	BoxCad: BoxCad	Date	09-Oct-24
Material / Matière	16 Ga Cold Rolled A1008 CS Type B (1.4mm)		
Color / Couleur	Asa-61 Grey	Finish / Fini	Smooth
Description	1100B 26" x 25" x 6.975" Body	Detail Rev.	
Part Number / Numéro Pièce	**1100B604B**	Rev.	**0**

This drawing is confidential and must not be reproduced or used without the consent of EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - TOP VIEW (CUSTOM FEATURE ONLY)

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	16.438	2.313	DKO Ø3.625 - 3.000
2	8.563	2.313	DKO Ø3.625 - 3.000



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Y+
X- X+
Y-

Description	Status
1100B 26" x 25" x 6.975" Body	(NULL)
Part Number / Numéro Pièce: **1100B604B**	Rev.: **0**

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\1100B604\1100B604.idw


Tolérance ±1/32" sauf spécification contraire

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - RIGHT VIEW (CUSTOM FEATURE ONLY)

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.188	19.939	DKO Ø1.375 - 1.125
2	1.063	18.251	DKO Ø1.125 - 0.875
3	1.188	16.563	DKO Ø1.375 - 1.125
4	1.063	14.875	DKO Ø1.125 - 0.875
5	1.375	13.000	DKO Ø1.750 - 1.375
6	1.063	11.125	DKO Ø1.125 - 0.875
7	1.188	9.437	DKO Ø1.375 - 1.125
8	1.063	7.749	DKO Ø1.125 - 0.875
9	1.188	6.061	DKO Ø1.375 - 1.125





Description: 1100B 26" x 25" x 6.975" Body		Status: (NULL)
Part Number / Numéro Pièce: **1100B604B**	Rev.: **0**	5 / 10

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

This drawing is confidential and must not be reproduced or used without the consent of EXM

Tolerance ±1/32" unless otherwise specified


C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\1100B604\1100B604.idw

Tolérance ±1/32" sauf spécification contraire


STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - BOTTOM VIEW (CUSTOM FEATURE ONLY)

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	16.438	2.313	DKO Ø3.625 - 3.000
2	8.563	2.313	DKO Ø3.625 - 3.000



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM




Description: 1100B 26" x 25" x 6.975" Body	Status: (NULL)	
Part Number / Numéro Pièce: **1100B604B**	Rev.: **0**	6 / 10

This drawing is confidential and must not be reproduced or used without the consent of EXM

STANDARD FEATURES ARE NOT LISTED IN THIS HOLE TABLE

HOLE TABLE - LEFT VIEW (CUSTOM FEATURE ONLY)

CUT-OUT	XDIM	YDIM	DESCRIPTION
1	1.188	19.939	DKO Ø1.375 - 1.125
2	1.063	18.251	DKO Ø1.125 - 0.875
3	1.188	16.563	DKO Ø1.375 - 1.125
4	1.063	14.875	DKO Ø1.125 - 0.875
5	1.375	13.000	DKO Ø1.750 - 1.375
6	1.063	11.125	DKO Ø1.125 - 0.875
7	1.188	9.437	DKO Ø1.375 - 1.125
8	1.063	7.749	DKO Ø1.125 - 0.875
9	1.188	6.061	DKO Ø1.375 - 1.125



Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

Y+
X- X+
Y-

Description: 1100B 26" x 25" x 6.975" Body	Status: (NULL)
Part Number / Numéro Pièce: **1100B604B**	Rev.: **0**

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\1100B604\1100B604.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View

Qty	Part Number	Rev	Description
1	STK-P-02400S	0	Powder Paint (Asa-61 Grey / Smooth)
1	STK-S-00100	0	3.5" x 2" Silver Milar Flexcon Sticker
1	1100B604B-P	0	1100B 26" x 25" x 6.975" Body Part

Parts List

Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness / Aplatissement: Max 3.0mm

Projection

Customer / Client:

Date:

Drawn By / Dessiné Par: BoxCad: BoxCad

Date: 09-Oct-24

Material / Matière: 16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color / Couleur: Asa-61 Grey

Finish / Fini: Smooth

Description: 1100B 26" x 25" x 6.975" Body

Detail Rev.:

Part Number / Numéro Pièce: **1100B604B**

Rev.: **0**

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified


C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\1100B604\1100B604.idw

Tolérance ±1/32" sauf spécification contraire


Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM


No.	Revisions	Date	By/Par















Isometric View





SEE BILL OF MATERIAL ON LAST PAGE

exm
Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness
Aplatissement
Max 3.0mm

Projection

Customer Client			Date
Drawn By Dessiné Par	BoxCad: BoxCad	Date	09-Oct-24
Material Matière	16 Ga Cold Rolled A1008 CS Type B (1.4mm)		
Color Couleur	Asa-61 Grey	Finish Fini	Smooth
Description 1100B 18" x 25" Cover		Detail Rev.	
Part Number Numéro Pièce **1100B604C**		Rev. **0**	9 / 10

This drawing is confidential and must not be reproduced or used without the consent of EXM


Tolerance ±1/32" unless otherwise specified

C:\Vault_Workspace\Inventor_Dwg\BoxCad\Result\1100B604\1100B604.idw

Tolérance ±1/32" sauf spécification contraire

Ce dessin est confidentiel et ne doit pas être reproduit ou utilisé sans le consentement de EXM

No.	Revisions	Date	By/Par



Isometric View

Part Number	Description	Rev	QTY
STK-P-02400S	Powder Paint (Asa-61 Grey / Smooth)	0	1
STK-S-00250	15.8mm x 44.45mm Silver Milar Sticker	0	1
STK-S-00100	3.5" x 2" Silver Milar Flexcon Sticker	0	1
STK-Q-33361	Spring Steel Hinge	0	2
1100B604C-P	1100B 26" x 25" x 0" Cover Part	0	1

Parts List

Tél: (450) 979-4373
Fax: (450) 979-4626
www.exmweb.com

Flatness / Aplatissement: Max 3.0mm

Projection

Customer / Client

Date

Drawn By / Dessiné Par: BoxCad: BoxCad

Date: 09-Oct-24

Material / Matière: 16 Ga Cold Rolled A1008 CS Type B (1.4mm)

Color / Couleur: Asa-61 Grey

Finish / Fini: Smooth

Description: 1100B 18" x 25" Cover

Detail Rev.

Part Number / Numéro Pièce: **1100B604C**

Rev.: **0**